


Planet Pez Quilt

A Free Project Sheet From:

A.E. NATHAN COMPANY, INC.



Planet Pez Version

Finished Quilt Size: 63" x 77 ¼"

Materials

These yardages are for making the quilt top as pictured. Please see the Finishing Section for options and additional yardage needed for making a larger quilt with an outer border or making a slumber sack with ties.

1 ¾ yards Navy	2803-7
1 ¼ yards Blue	2804-1
1 yard Red	2801-1
⅝ yard Green	2800-6
⅝ yard Lavender	2800-1
⅝ yard Yellow	2804-4
⅝ yard Aqua	2801-11
⅝ yard Black	2803-9
1 ½ yards Solid White	
5 yards Coordinating Quilt Backing	
4 yards Light-weight, Double-sided Fusible Webbing	
Template Plastic	

Cutting

All strips are cut across the width of the fabric from selvage edge to selvage edge.

From EACH of the eight print fabrics, cut:

Three 3 ½" strips. Cut six 3 ½" x 6 ½" pieces from each strip. Trim three pieces to 3 ½" x 3 ½".

One 2 ¾" strip. Cut eight 2 ¾" x 5" pieces from each strip.

One 2" strip. From EACH strip cut:

One 2" x 9 ½" piece

Two 2" x 8" pieces


One 2" x 6 ½" piece

One 2" x 5" piece.

Trim three of the 2" x 6 ½" pieces to 1 ¼" x 6 ½". Trim one of the 2" x 5" pieces to 1 ¼" x 5". Trim one of the 2" x 5" pieces to 2" x 2 ¾".

From ONE of the print fabrics, cut:

One 1 ¼" strip. Trim this strip to 1 ¼" x 12 ½".



From the solid white, cut:

Two 24 ½" strips. Cut four 9 ½" x 24 ½" pieces from each strip.


From the navy, cut:


Seven 2 ¼" strips for the binding.

The remaining navy, blue and red fabric is for the appliqués.

Prepare the Appliqués

1. Make templates for the rocket body, wings and tail shapes using the paper patterns provided and template plastic.
2. Trace sixteen of each shape onto the paper side of the fusible webbing. Leave 1/2" margin between the traced shapes.
3. Fuse all of the rocket body shapes to the wrong side of the navy fabric. Fuse all of the wing shapes to the wrong side of the blue fabric. Fuse all of the tail shapes to the wrong side of the red fabric. Cut out each shape on the traced lines.
4. Fuse two of each shape to a white background piece using the quilt pictured as a guide to fabric layering and placement.
5. Stitch over each exposed edge of each shape using a machine buttonhole, zig zag or satin stitch and matching or invisible thread.






Sewing

All seams are sewn with the pieces right sides together and a 1/4" seam allowance.

NOTE: The quilt is constructed in twelve sections. Use the quilt pictured as a guide to fabric placement or use any arrangement you find pleasing.


Section 1

Sew eight 3 1/2" x 6 1/2" pieces together as shown in the diagram below. Sew this unit to the left-hand side of an appliqué block. Sew two 3 1/2" x 6 1/2" pieces and one 3 1/2" square together. Sew this unit to the top of the appliqué block. Sew nine 3 1/2" x 6 1/2" pieces together. Sew this unit to the left-hand side of the appliqué unit to complete Section 1.




Section 2

Sew eight 3 1/2" x 6 1/2" pieces together. Sew this unit to the right-hand side of an appliqué block. Sew two 3 1/2" x 6 1/2" pieces and one 3 1/2" square together. Sew this unit to the bottom of the appliqué block. Sew twelve 2 3/4" x 5" pieces together. Sew this unit to the left-hand side of the appliqué block to complete Section 2.




Section 3


Sew eight 3 1/2" x 6 1/2" pieces together. Sew this unit to the right-hand side of an appliqué block. Sew two 3 1/2" x 6 1/2" pieces and one 3 1/2" square together. Sew this unit to the top of the appliqué block. Sew three 2" x 9 1/2" pieces together. Sew this unit to the right-hand side of the appliqué unit. Sew nine 3 1/2" x 6 1/2" pieces together. Sew this unit to the right-hand side of the appliqué unit to complete Section 3.



Section 4


Sew one 1 1/4" x 6 1/2" and eight 3 1/2" x 6 1/2" pieces together. Repeat to make a second unit. Sew eleven 2 3/4" x 5" pieces together. Sew the three units together as shown to complete Section 4.






Section 5

Sew four $2\frac{3}{4}$ " x 5" pieces together. Sew this unit to right-hand side of an appliqué block. Sew twelve $2\frac{3}{4}$ " x 5" pieces and one 2" x 5" piece together. Sew this unit to the bottom of the appliqué block to complete Section 5.




Section 6

Sew four $2\frac{3}{4}$ " x 5" pieces together. Sew this unit to left-hand side of an appliqué block. Sew six $2\frac{3}{4}$ " x 5" pieces and one 2" x $2\frac{3}{4}$ " piece together. Sew this unit to the bottom of the appliqué block to complete Section 6.




Section 7

Sew six $3\frac{1}{2}$ " x $6\frac{1}{2}$ " pieces together. Repeat to make a second unit. Sew five $2\frac{3}{4}$ " x 5" pieces and one 2" x 5" piece together. Sew the three units together as shown to complete Section 7.




Section 8


Sew eight $3\frac{1}{2}$ " x $6\frac{1}{2}$ " pieces together. Sew two 2" x 8" pieces and one 2" x $9\frac{1}{2}$ " piece together. Sew these pieces to the left-hand side of the first unit. Sew a 2" x 8" piece to the bottom of this unit. Sew eight $3\frac{1}{2}$ " x $6\frac{1}{2}$ " pieces and one 2" x $6\frac{1}{2}$ " piece together. Sew this unit to the left-hand side of the other unit to complete Section 8.



Section 9


Sew eight $3\frac{1}{2}$ " x $6\frac{1}{2}$ " pieces together. Sew this unit to right-hand side of an appliqué block. Sew two 2" x 8" pieces together. Sew this unit to the bottom of the appliqué unit to complete Section 9.






Section 10

Sew two 2" x 8" pieces and one 2" x 9 1/2" piece together. Sew this unit to the right-hand side of an appliqué block. Sew eight 3 1/2" x 6 1/2" pieces together. Sew this unit to the right-hand side of the appliqué unit. Sew two 2" x 8" pieces together. Sew this unit to the top of the appliqué unit to complete Section 10.




Section 11

Sew four 3 1/2" x 6 1/2" pieces together. Sew this unit to the right-hand side of an appliqué block. Sew two 3 1/2" x 6 1/2" pieces and one 1 1/4" x 12 1/2" piece together. Sew this unit to the bottom of the appliqué unit.




Section 12

Sew seven 3 1/2" x 6 1/2" pieces together. Sew two 2 3/4" x 5" pieces, one 2" x 5" piece and one 1 1/4" x 6 1/2" piece together as shown. Sew eight 3 1/2" x 6 1/2" pieces together. Sew the three units together to complete Section 12.



Quilt Assembly

1. Referring to the Quilt Assembly Diagram, sew sections 4, 5 and 6 together. Sew sections 8, 9 and 10 together. Sew the two units together.
2. Sew Section 7 to the top of Section 11. Sew this unit to the left-hand side of Section 12. Sew this unit to the right-hand side of the unit from step 1.
3. Sew Sections 1, 2 and 3 together. Sew this unit to the top of the unit from step 2. to complete the quilt top.



Finishing

The project can be finished as a quilt for a youth bed, twin bed, or a slumber sack. Follow the directions for each project below.

For a Youth Bed Quilt

1. Layer the finished quilt top with batting and backing and quilt as desired.
2. Trim the quilt so that the outer edges of the quilt top, batting and backing are even.
3. Bind the finished quilt using the 2 ¼" navy strips.



For a Twin Bed


1. Purchase an additional 2 yards of fabric for the outer border and an additional 1/4 yard of binding fabric. A total of 5 ¾ yards of fabric is needed for the quilt backing.
2. Cut eight 7 ½" strips for the outer border.
3. Trim the selvages from the outer border strips. Sew the strips together end to end to make a long 7 ½" strip. From this long strip, cut two pieces 77 ¾" and two pieces 77 ½" (*if your measurements are different, cut to fit your quilt top*).
4. Sew a longer piece to the left and right-hand sides of the quilt top. Sew a shorter piece to the top and bottom of the quilt top. Press all seams toward the outer border strips.
5. Layer the finished quilt top with batting and backing and quilt as desired.
6. Trim the quilt so that the outer edges of the quilt top, batting and backing are even.
7. Cut two 2 ¼" strips from the additional binding yardage to make a total of nine binding strips. Bind the finished quilt using the 2 ¼" navy strips.

For a Slumber Sack




1. Purchase an additional 1 yard of navy fabric. From this additional fabric, cut twelve 2 ¼" wide strips. Crosscut each strip to make a total of twenty-four 2 ¼" x 21" strips.
2. Trim the selvages from each strip and press each strip in half lengthwise, wrong sides together.

3. Unfold a pressed strip and press each raw edge to meet at the center crease. Press the strip in half lengthwise again. Turn under 1/4" twice on each short end so that all raw edges are encased inside the strip. Sew 1/8" in from the outer edge on all four sides of the strip. Repeat to make a total of twenty-four strips.
4. Layer the finished quilt top with batting and backing and quilt as desired.
5. Trim the quilt so that the outer edges of the quilt top, batting and backing are even.
6. Bind the finished quilt using the 2 ¼" navy strips. Place the ties on the back of the quilt around the outer edge as shown. Secure the ties to the quilt as you sew the binding to the front of the quilt. Turn the binding to the back of the quilt and blind-stitch as usual with the ties extending from underneath the finished binding.
7. Fold the finished quilt in half and use the ties to create the Slumber Sack.





Planet Pez Quilt Assembly Diagram



Photocopy templates at 100%.
Do not scale page during printing.

